## OEM LOGO 23.8 24 Inch All In One Intel Core CPU I3 I5 I7 AIO Home Office All In One Desktop PC

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:

Our Product Introduction

for more products please visit us on monitorspcs.com



- CE/ FCC/UL/ ROHS
- r: Al2385



### **Product Specification**

- Product Name:
- Keywords:
- CPU:
- Type:
- Application:
- Speaker:
- WIFI:
- Function:
- LOGO:
- Highlight:

- 23.8 Inch All In One Computer
  - Desktop Office Computer
- 13/15/17 Optional
- All-in-one Pc OEM
- Office Desktop Computer
- Built-in 2 Channel Stereo
- 802.11b/g/n
- WIFI In-built
- OEM Logo Supported
  - 23.8in aio desktop computers, Office aio desktop computers, Borderless all in 1 desktop pc



#### More Images



# OEM LOGO 23.8 24 Inch All In One Intel Core CPU I3 I5 I7 AIO Home Office All In One Desktop PC

## Office Experience with the 23.8 Inch All in One Computer PC CPU

In the modern office environment, having a reliable and efficient computer is crucial for productivity and efficiency. The 23.8-inch All-in-One Computer PC CPU brings together the power of a central processing unit (CPU) with the convenience and functionality of a widescreen display, revolutionizing the way we work.

## Widescreen Display for Enhanced Workspace

The 23.8-inch All-in-One Computer PC CPU features a widescreen display that offers an expanded workspace for professionals. The wider aspect ratio allows for increased screen real estate, enabling users to work with multiple applications side by side, view spreadsheets or documents in their entirety, and easily compare information without the need for scrolling.


## **Enhanced Connectivity and Expandability**

The 23.8-inch All-in-One Computer PC CPU offers a range of connectivity options, ensuring seamless integration with other devices and peripherals. It includes USB ports, HDMI ports, audio jacks, and networking capabilities, allowing professionals to connect additional monitors, printers, external storage, and other peripherals as needed.


## Conclusion

The 23-Inch All-in-One Computer PC CPU offers a powerful and streamlined solution for the modern office environment. Its widescreen display, efficient CPU performance, integrated components, and connectivity options combine to create an enhanced office experience. Professionals can take advantage of the expansive workspace, seamlessly multitask with resource-intensive applications, and enjoy a clutter-free setup. With improved collaboration and communication features, the All-in-One Computer PC CPU promotes teamwork and productivity in the workplace. Embrace the efficiency and convenience of the 23-inch All-in-One Computer PC CPU and unlock a new level of productivity and performance in your office environment.

CPU     Intel® i3 5 generations       System     Hard disk     512TB       Operating system     Windows 8       LED Screen     LED       Resolution     1080p       Contract     1100:1       Display     Brightness     250cdm2       Visual angle     178(H)/178(V)       Screen     16:9       proportion     16:9       Proportion     1000M Network port       Internet     B T     support       HD-MI     HD *1       USB     USB *6       I/O     no       VGA     V *1       Power socket     DC Enter       HD-MI Interface     support       vGA     V *1       Power socket     DC Enter       HD-MI Interface     support       video format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor       VGA     V *1       Power socket     DC Enter       HD-MI Interface     support       output     Support       VGA Interface     Support <t< th=""><th></th><th>(</th><th>Office 23.8 Inch All In One Computer PC</th></t<>		(	Office 23.8 Inch All In One Computer PC			
Memory     8GB       System     Hard disk     512TB       Operating system     Windows 8       LED Screen     LED       Resolution     1080p       Contract     1100:1       Brightness     250cdm2       Visual angle     178(H)/178(V)       Screen     16:9       WiFi     802.11b/g/n       The     Ethernet       Internet     B T       Support     4G       Support     HD-MI       HD'MI     HD '1       USB     USB *6       I/O     no       VGA     V *1       Power socket     DC Enter       RJ-45     RJ45 *1       Earphone     3.5mm Stereo headphone output       HD-MI Interface output     support       VGA     V *1       Power socket     DC Enter       HD-MI Interface     support       VGA Interface     support       UGA Interface     support       Quide format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor		CPU	Intel® i3 5 generations			
SystemHard disk512TBOperating systemWindows 8LED ScreenLEDResolution1080pContract11100:1DisplayBrightnessScreen250cdm2Visual angle178(H)/178(V)Screen16:9proportion16:9WiFi802.11b/g/nTheEthernetInternetB TSupport4GSupportSupport externalHD-MIHD *1USBUSB *6//OnoVGAV *1Power socketDC EnterHJ-MI InterfaceSupportutputsupportVGA InterfacesupportvGA InterfacesupportvGa InterfacesupportvGa InterfacesupportvGa InterfacesupportoutputSpeakerVide formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,supporupAudio formatVideo formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,supporupSpeakerSpeaker2*4WCameraNOwall hanging100x100 mmOSD LanguageLanguages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.SoftwareQQ / Map / Game / Email / Electronics Market and other applicationsNoAdapterPower Adapter 19V/8A			¥			
system     Wildows of       LED Screen     LED       Resolution     1080p       Contract     1100:1       Brightness     250cdm2       Visual angle     178(H)/178(V)       Screen     16:9       WiFi     802.11b/g/n       The     Ethernet       Internet     B T       Support     4G       Support     Support       4G     Support setternal       HD-MI     HD *1       USB     USB *6       I/O     no       VGA     V*1       Power socket     DC Enter       RJ-45     RJ45*1       Earphone     3.5mm Stereo headphone output       HD-MI Interface     support       output     Support       VGA Interface     support       video format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor       Media     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor       vidui format     MP3/WMA/AAC etc.       Picture format     jpeg       Spaaker     2*4W </td <td>System</td> <td></td> <td>512TB</td>	System		512TB			
LED Screen     LED       Resolution     1080p       Contract     1100:1       Brightness     250cdm2       Visual angle     178(H)/178(V)       Screen     16:9       proportion     802.11b/g/n       The     Ethernet       Internet     B T       SSUPPORT     4G       Support     4G       USB     USB *6       I/O     no       VGA     V*11       Power socket     DC Enter       HD-MI     HD *1       USB     USB *6       I/O     no       VGA     V*11       Power socket     DC Enter       HD-MI Interface     support       utput     support       VGA Interface     support       utput     Support       VGA Interface     support       utput     Gamera       NO     wall hanging       OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software     s			Windows 8			
Resolution1080pDisplayContract1100:1Brightness250cdm2Visual angle178(H)/178(V)Screen16:9proportion16:9TheEthernet1000M Network portInternetB TSupport4GSupport externalHD-MIHD *1USBUSB *61/OnoVGAV *1Power socketDC EnterRJ-45RJ45 *1Earphone3.5mm Stereo headphone outputHD-MI Interface outputsupportVGA Interface outputsupportVideo formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,supportMedia playVideo formatMedia otherSpeakerQSD LanguageLanguages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.Software supportQQ / Map / Game / Emglish, Japanese, German, French, Italian, Spanish, Korean, etc.Operating InstructionOutputAdapterPower Adapter 19V/8A			L ED			
DisplayContract1100:1DisplayBrightness250cdm2Visual angle178(H)/178(V)Screen16:9proportion16:9TheEthernet1000M Network portInternetB Tsupport4GSupport externalHD-MIHD *1USBUSB *61/OnoVGAV *1Power socketDC EnterHD-MI InterfacesupportRJ-45RJ45 *1Earphone3.5mm Stereo headphone outputHD-MI InterfacesupportVGA InterfacesupportvotputWPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,supporMediaVideo formatupAudio formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,supporotherSpeaker2*4WCameraNOwall hanging100x100 mmOSD LanguageLanguages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.SoftwareQQ / Map / Game / Email / Electronics Market and other applicationssupportAdapterPower Adapter 19V/8A						
DisplayBrightness250cdm2Visual angle178(H)/178(V)Screen proportion16:9WiFi802.11b/g/nThe InternetB TB Tsupport4GSupport externalHD-MIHD *1USBUSB *61/OnoVGAV *1Power socketDC EnterRJ-45RJ45 *1Earphone3.5mm Stereo headphone outputHD-MI Interface outputsupportVGA formatWPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,supportWedia playVideo formatMedia playSpeakerOtherSpeakerOtherSoftware supportOSD LanguageLanguages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.Operating InstructionOQ / Map / Game / Email / Electronics Market and other applicationsOperating InstructionStandardAdapterPower Adapter 19V/8A			•			
Visual angle178(H)/178(V)Screen proportion16:9The InternetWiFiBT802.11b/g/nHernet1000M Network port4GSupport4GSupport externalHD-MIHD *1USBUSB *61/OnoVGAV *1Power socketDC EnterRJ-45RJ45 *1Earphone3.5mm Stereo headphone outputHD-MI Interface outputsupportVGA Interface outputsupportVideo formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor upMedia playSpeakerVideo formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor upMedia playSpeakerOtherSpeakerQD Audio formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor upMedia playSpeakerOtherSpeakerQ Paraing supportLanguages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.Software supportQQ / Map / Game / Email / Electronics Market and other applicationsOperating InstructionStandardAdapterPower Adapter 19V/8A	Display					
Screen proportion     16:9       The Internet     WiFi     802.11b/g/n       The Internet     B T     802.11b/g/n       4G     Support     46       Support external     HD-MI     HD *1       USB     USB *6     1/0       1/0     no     VGA     V*1       Power socket     DC Enter     RJ45 *1       Earphone     3.5mm Stereo headphone output       HD-MI Interface output     support       VGA Interface output     support       VGA Interface     support       Video format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor       Media play     Video format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor       vigen format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor       wall hanging     100x100 mm       OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software support     QQ / Map / Game / Email / Electronics Market and other applications       Operating Instruction     Standard       Adapter     Power Adapter 19V/8A	-17					
InternetInternetInternetInternetB TSupportB TSupport4GSupport externalHD-MIHD *1USBUSB *6I/OnoVGAV *1Power socketDC EnterRJ-45RJ45 *1Earphone3.5mm Stereo headphone outputHD-MI Interface outputsupportVGA Interface outputsupportVGA Interface outputSupportMedia playMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,supportVideo formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,supportMedia playSpeakerOtherSpeakerOSD LanguageLanguages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.Software supportQQ / Map / Game / Email / Electronics Market and other applicationsOperating InstructionStandardAdapterPower Adapter 19V/8A						
The InternetEthernet1000M Network portInternetB Tsupport4GSupport externalHD-MIHD *1USBUSB *61/OnoVGAV *1Power socketDC EnterRJ-45RJ45 *1Earphone3.5mm Stereo headphone outputHD-MI InterfacesupportoutputVideo formatMediaWideo formatplayAudio formatMediaSpeakerOtherSpeakerOSD LanguageLanguages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.Operating InstructionQQ / Map / Game / Email / Electronics Market and other 			16:9			
InternetB Tsupport4GSupport externalHD-MIHD *1USBUSB *6I/OnoVGAV *1Power socketDC EnterRJ-45RJ45 *1Earphone3.5mm Stereo headphone outputHD-MI Interface outputsupportVGA Interface outputsupportVda Interface outputsupportVideo formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor upMedia playSpeaker2SpeakerVideo formatMPEG-10x100 mmOtherOSD LanguageCameraNO ulanguages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.Software supportQQ / Map / Game / Email / Electronics Market and other applicationsOperating InstructionStandardAdapterPower Adapter 19V/8A		WiFi	802.11b/g/n			
AG     Support external       HD-MI     HD *1       USB     USB *6       I/O     no       VGA     V *1       Power socket     DC Enter       RJ-45     RJ45 *1       Earphone     3.5mm Stereo headphone output       HD-MI Interface output     support       VGA Interface output     support       VGA Interface output     support       Video format play     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor up       Media play     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor up       Media     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor up       Other     Speaker     2*4W       Camera     MP3/WMA/AAC etc.       Picture format     jpeg       Speaker     2*4W       Camera     NO       wall hanging     100x100 mm       OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software support     QQ / Map / Game / Email / Electronics Market and other applications       Operating Instruction     Standard       Adapter     Power Adapter	The	Ethernet	1000M Network port			
4GSupport externalHD-MIHD *1USBUSB *6I/OnoVGAV *1Power socketDC EnterRJ-45RJ45 *1Earphone3.5mm Stereo headphone outputHD-MI Interface outputsupportVGA Interface outputsupportVGA Interface outputsupportVideo formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor upMedia playAudio formatMedia playSpeakerOtherSpeakerOSD Language supportLanguages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.Software supportQQ / Map / Game / Email / Electronics Market and other applicationsOperating InstructionStandardAdapterPower Adapter 19V/8A	Internet	ВТ	support			
HD-MI     HD *1       USB     USB *6       I/O     no       VGA     V *1       Power socket     DC Enter       RJ-45     RJ45 *1       Earphone     3.5mm Stereo headphone output       HD-MI Interface output     support       VGA Interface output     Support       Video format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor up       Audio format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor       Video format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor       Media     jpeg       Speaker     2*4W       Camera     NO       wall hanging     100x100 mm       OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software support <td></td> <td>4G</td> <td></td>		4G				
Interface     I/O     no       VGA     V*1       Power socket     DC Enter       RJ-45     RJ45*1       Earphone     3.5mm Stereo headphone output       HD-MI Interface output     support       VGA Interface output     support       VGA Interface output     mPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor up       Media     Video format       Picture format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor up       Audio format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor up       Video format     MPS/WMA/AAC etc.       Picture format     jpeg       Speaker     2*4W       Camera     NO       wall hanging     100x100 mm       OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software     QQ / Map / Game / Email / Electronics Market and other applications       Operating Instruction     Standard       Adapter     Power Adapter 19V/8A						
VGAV*1Power socketDC EnterRJ-45RJ45 *1Earphone3.5mm Stereo headphone outputHD-MI Interface outputsupportVGA Interface outputsupportVGe formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor upMedia playAudio formatMetia playSpeakerSpeaker2*4WCameraNOwall hanging100x100 mmOSD LanguageLanguages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.Software supportQQ / Map / Game / Email / Electronics Market and other applicationsOperating InstructionStandardAdapterPower Adapter 19V/8A		USB	USB *6			
InterfacePower socketDC EnterInterfaceRJ-45RJ45 *1Earphone3.5mm Stereo headphone outputHD-MI Interface outputsupportVGA Interface outputsupportVGA Interface outputsupportMedia playVideo formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor upMedia playVideo formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor upMedia playVideo formatMPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor upMedia playSpeaker2*4WCameraNOWall hangingOtherSpeaker2*4WCameraNOwall hanging100x100 mmOSD LanguageLanguages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.Software supportQQ / Map / Game / Email / Electronics Market and other applicationsOperating InstructionStandardAdapterPower Adapter 19V/8A		I/O	no			
Interface     RJ-45     RJ45 *1       Earphone     3.5mm Stereo headphone output       HD-MI Interface output     support       VGA Interface output     support       VGeo format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor up       Media play     Video format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor up       Media     Video format     up       Audio format     MPBG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor up       Speaker     2*4W       Camera     NO       wall hanging     100x100 mm       OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software     QQ / Map / Game / Email / Electronics Market and other applications       Operating Instruction     Standard       Adapter     Power Adapter 19V/8A		VGA	V *1			
Initial   Initian   Initial   Initial		Power socket	DC Enter			
Earphone   3.5mm Stereo headphone output     HD-MI Interface output   support     VGA Interface output   support     VGA Interface output   mPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor     Media play   Video format   MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor     Media play   Audio format   MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor     Media play   Ficture format   up     Audio format   MPS/WMA/AAC etc.     Picture format   jpeg     Speaker   2*4W     Camera   NO     wall hanging   100x100 mm     OSD Language   Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.     Software support   QQ / Map / Game / Email / Electronics Market and other applications     Operating Instruction   Standard     Adapter   Power Adapter 19V/8A	Interface	BJ-45	RJ45 *1			
HD-MI Interface output   support     VGA Interface output   support     VGA Interface output   support     Media play   Video format   MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor up     Audio format   MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor     Video format   MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor     Speaker   2*4W     Camera   NO     wall hanging   100x100 mm     OSD Language   Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.     Software   QQ / Map / Game / Email / Electronics Market and other applications     Operating Instruction   Standard     Adapter   Power Adapter 19V/8A			3.5mm Stereo headphone output			
output     support       VGA Interface output     support       Media play     Video format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor up       Audio format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor up       Audio format     MPB/WMA/AAC etc.       Picture format     jpeg       Speaker     2*4W       Camera     NO       wall hanging     100x100 mm       OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software support     QQ / Map / Game / Email / Electronics Market and other applications       Operating Instruction     Standard       Adapter     Power Adapter 19V/8A						
output     support       Media     Video format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor       Jay     Audio format     MP3/WMA/AAC etc.       Picture format     jpeg       Speaker     2*4W       Camera     NO       wall hanging     100x100 mm       OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software     QQ / Map / Game / Email / Electronics Market and other applications       Operating     Instruction     Standard       Adapter     Power Adapter 19V/8A			support			
Output     Media     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor       Media     play     Audio format     MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,suppor       Audio format     MPS/WMA/AAC etc.     peg       Picture format     jpeg       Speaker     2*4W       Camera     NO       wall hanging     100x100 mm       OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software     QQ / Map / Game / Email / Electronics Market and other       applications     Operating       Instruction     Standard       Adapter     Power Adapter 19V/8A		VGA Interface	aupport			
Media play     Video format     up       Audio format     MP3/WMA/AAC etc.       Picture format     jpeg       Speaker     2*4W       Camera     NO       wall hanging     100x100 mm       OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software     QQ / Map / Game / Email / Electronics Market and other applications       Operating Instruction     Standard       Adapter     Power Adapter 19V/8A		output				
Picture format     jpeg       Speaker     2*4W       Camera     NO       wall hanging     100x100 mm       OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software     QQ / Map / Game / Email / Electronics Market and other applications       Operating     Standard       Instruction     Power Adapter	Media	Video format				
Speaker     2*4W       Camera     NO       wall hanging     100x100 mm       OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software     QQ / Map / Game / Email / Electronics Market and other applications       Operating Instruction     Standard       Adapter     Power Adapter 19V/8A	play	Audio format	MP3/WMA/AAC etc.			
Camera     NO       other     Camera     NO       OSD Language     100x100 mm       OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software     QQ / Map / Game / Email / Electronics Market and other support       Operating Instruction     Standard       Adapter     Power Adapter 19V/8A		Picture format	jpeg			
wall hanging     100x100 mm       other     OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software     QQ / Map / Game / Email / Electronics Market and other support       Operating Instruction     Standard       Adapter     Power Adapter 19V/8A		Speaker	2*4W			
other     OSD Language     Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.       Software     QQ / Map / Game / Email / Electronics Market and other support       Operating Instruction     Standard       Adapter     Power Adapter 19V/8A		Camera	NO			
OSD Language     Italian, Spanish, Korean, etc.       Software     QQ / Map / Game / Email / Electronics Market and other applications       Operating Instruction     Standard       Adapter     Power Adapter 19V/8A		wall hanging				
support     applications       Operating Instruction     Standard       Adapter     Power Adapter 19V/8A	other	OSD Language				
Operating     Standard       Instruction     Power Adapter 19V/8A		Software				
Instruction     Standard       Adapter     Power Adapter 19V/8A			applications			
Adapter Power Adapter 19V/8A			Standard			
			Power Adapter 19V/8A			
Attachm	Attachm	Certification				



Internal structure diagram of desktop all-in-one computer



A: We usually give you a quotation within 24 hours after receiving the inquiry (except weekends and holidays), if you need a quotation urgently, you can contact us by mail or other means.

#### Q: What is the minimum order?

A: Our company mainly deals in wholesale business, but if you insist on buying one, or you only need one set, we will also deliver the goods to you.

#### Q: Can I buy a prototype to test before buying in bulk?

A: Yes, please feel free to contact us.

#### Q: What payment methods do you accept?

A: Our company supports most payment methods, but usually accepts T/T, PayPal.

#### Q: What are your shipping methods?

A: We support sea, air, rail transportation, and express delivery, and also support customers to use their own logistics forwarders. Please confirm with us before placing an order.

#### Q: I would like to ask you if it's possible to have my logo on the product.

A: Yes, we support OEM and special customization, so we can design, produce, and process according to customer's requirements. Of course, custom logos on the box and instruction manual are also included.

#### Q: What is your delivery time?

A: It depends on your order quantity and order season. Usually, small quantities will be shipped within 5 to 15 days, and large quantities will be delivered within about 30 days. All in all, the delivery time will not exceed the time agreed between us and the buyer.

	00 10500750710				
C	+86 18566758749	$\mathbf{r}$	cnsfdlhx@monitortp.com	e	monitorspcs.com