Supplier Custom 43 Inch Curved Touch Screen Monitor 1920*1080p J-Type R1500 Capacitive Curved Touch Screen For Skilled Games Machine

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Delivery Time:
- Payment Terms:
- 10 5-8
- L/C, T/T, Western Union, MoneyGram

China

Skipsoul

JR430-1

CE/ FCC/UL/ ROHS



Product Specification

- Name:
- Size:
- Resolution:
- Brightness:
- Contrast:
- Display Ratio:
- Viewing Angle:
- Display Area:
- Backlight Life:
- Highlight:
- 43 Inch Curved Touch Screen Monitor 43 Inch 1920 × 1080 300cd/ 1200:1 16:9 178°(H)/178°(V) 942.2 (H) × 530.4 (V) Mm >=50,000H **1920*1080p Curved Touch Screen Monitor**



More Images









Supplier Custom 43 Inch Curved Touch Screen Monitor 1920*1080p J-Type R1500 Capacitive Curved Touch Screen For Skilled Games Machine

43-inch Curved Touch Screen Display

Elevate your viewing experience with our cutting-edge 43-inch curved touchscreen monitor, a "marquee display." This innovative product offers a panoramic and immersive visual experience that captivates users.

High-Resolution Display

Our 43-inch j-type curved touchscreen monitor's spacious display area is 942.2mm (H) × 530.4mm (V). It features a 16:9 aspect ratio and a crystal-clear resolution of 1920×1080 pixels. Enjoy stunning clarity and detail in every image and video.

Vivid Visuals and Enhanced Contrast

The curved touch screen experiences vibrant and lifelike visuals with a brightness of 300cd/ and a contrast ratio of 1200:1. The LED backlight technology ensures optimal brightness while enhancing contrast for rich, dynamic colors.

Responsive Touch Technology

Thanks to responsive touch technology, you can seamlessly interact with your content with a quick 6ms response time. This feature enables smooth and precise touch responses, making navigation and interaction effortless.

Exceptional Color Accuracy and Viewing Angles


With a color depth of 1.07 billion colors and a pixel pitch of 0.27963mm (H) × 0.27963mm (V), our monitor curved touch screen delivers exceptional color accuracy and sharpness. Enjoy a wide viewing angle of $178^{\circ}/178^{\circ}$ (horizontal/vertical) for consistent image quality from any perspective.

Long-Lasting Performance

Built to last, our 43-inch curved touchscreen monitor features an LED backlight with a lifespan exceeding 50,000 hours, ensuring reliable performance over an extended period. Whether for professional use or entertainment, this display is designed to meet your needs.

	Model	JR430	
	Size	43 Inch curved touch screen	
LCD screen parameters	Resolution	1920 × 1080	
	Brightness	300cd/	
	Contrast	1200:1	
	Display Area	942.2 (H) × 530.4 (V) mm	
	Display Ratio	16:9	
	Backlight	LED	
	Response Time	6ms	
	Color	1.07B	
	Viewing Angle	178°(H)/178°(V)	
	Backlight Life	>=50,000H	
	Dot Moment	0.27963 (H) × 0.27963 (V) mm	
	Overall Size	1010.6*603.1*145.3mm	
	Packaging Size	1075*700*220mm	
	Appearance	Capacitor + aluminum frame + sheet metal shell	
	Touch Solution	Projected G+FF capacitive touch technology	
	Response Time	<5ms	
	Number of	Standard 10-point touch (can zoom in and out pictures, etc.)	
	touchpoints		
	Effective touch	>1.5mm	
	recognition		
	Scanning frequency		
	Scanning accuracy	4096 x 4096	
Capacitive screen parameters	Communication method	Full-speed USB2.0, USB3.0	
	Theoretical number of clicks	More than 50 million	
	Working current/voltage	180Ma/DC+5V+/-5%	
	Anti-light	Normal when strong light such as sunlight, incandescent lamps, or	
	interference	fluorescent lamps changes	
	Touch data output method	Coordinate output	
	Surface hardness	Tempered glass, Mohs 7 explosion-proof glass	
	Operating system	compatibility Android system/Windows system	
	Driver	Driver-free, plug-and-play	
	External interface	HDMI input 1	
		VGA input 1	

	12 years of industry experience
	Countless motherboard tests
	USB/serial port-free switching
3M card	Touch direction button adjustment
	USB/TTL/UUPD/RS232
	Full tracking service, special program customization (remote/on-site)
	adaptation
	Computer control signal output
	More than 300 lighting modes are available
Light card	Can be connected to machine light strips and display light strips
	simultaneously
	Can connect 8 light strips, each with 1200 lamp beads









FAQ

Q: How can I get the price?

A: We usually give you a quotation within 24 hours after receiving the inquiry (except weekends and holidays), if you need a quotation urgently, you can contact us by mail or other means.

Q: What is the minimum order?

A: Our company mainly deals in wholesale business, but if you insist on buying one, or you only need one set, we will also deliver the goods to you.

Q: Can I buy a prototype to test before buying in bulk?

A: Yes, please feel free to contact us.

Q: What payment methods do you accept?

A: Our company supports most payment methods, but usually accepts T/T, PayPal.

Q: What are your shipping methods?

A: We support sea, air, and rail transportation and express delivery, and we also allow customers to use their own logistics forwarders. Please confirm with us before placing an order.

Q: I would like to ask you if it's possible to have my logo on the product.

A: Yes, we support OEM and special customization to design, produce, and process according to customer's requirements. Of course, custom logos on the box and instruction manual are also included.

Q: What is your delivery time?

A: It depends on the quantity of your order and the season. Usually, small amounts are shipped within 5 to 15 days, and large quantities are delivered within about 30 days. The delivery time will not exceed the agreed-upon time between the buyer and us.

et kem	Touch Vision	(Shenzhen Sufeida)	Technology Co., Ltd.
---------------	---------------------	--------------------	----------------------

e monitorspcs.com

605, Workshop C, No.1, East Industrial District, Shangxue Science park, Xinxue Community, Bantian Street, Longgang District, Shenzhen, China