

OEM 15 Inch Touch Screen Monitor With Stand Plastic Shell IPS Panel For POS

Basic Information

Place of Origin: Shen ZhenCertification: CE/ FCC/ROHS

Model Number: TRC150
 Minimum Order Quantity: negotiation
 Price: negotiation
 Payment Terms: T/T



Product Specification

• Resolution: 1024*768

• Screen Proportion: 4:3

• Brightness: 300cd/m2

Viewing Angle: 178 (H) / 178 (V)
 Signal Interface: USB+VGA+HDMI

• Touch Screen: Capactive Multi Touch Screen

• Application: ATM.POS.Open Frame Machine ...etc

Backlight: LED Back Light

• Highlight: POS 15 Inch Touch Screen Monitor,

OEM 15 Inch Touch Screen Monitor



More Images





Product Description

OEM 15 Inch Touch Screen Monitor With Stand Plastic Shell IPS Panel For POS

Responsive Touch Technology

The capacitive touch technology allows for quick and accurate touch responses, making interactions smooth and effortless.

Display Size

The touch monitor has a 15-inch screen size, measured diagonally from one corner to another. This size offers a balance between portability and visibility, making it suitable for various applications, including point-of-sale systems, kiosks, interactive displays, and more.

Resolution

The resolution of 1024x768 means that the display consists of 1024 pixels horizontally and 768 pixels vertically. While it might not provide the same level of detail as higher-resolution monitors, it is still capable of delivering clear and readable content.

Connectivity

The 15 inch touch monitor typically comes with various connectivity options to connect it to different devices. This may include VGA, HDMI, or DisplayPort inputs, allowing it to be used with computers, laptops, gaming consoles, media players, or other compatible devices.

Compatibility

The 15 inch touch monitor is designed to be compatible with different operating systems, such as Windows, Linux, and Android. This ensures broad compatibility and ease of integration with various devices and software applications.

Additional Features

Depending on the specific model and manufacturer, the 15 inch touch monitor may offer additional features. These can include built-in speakers, USB ports for peripheral connectivity, VESA mount compatibility for easy installation, and other value-added functionalities.

Versatile Connectivity

With multiple connectivity options such as HDMI, VGA, and USB, the 15 inch touch screen monitor can easily be integrated with a variety of devices for enhanced functionality.

Adjustable Stand

The 15 inch touch screen monitor comes with an adjustable stand that allows users to tilt the screen for a comfortable viewing angle, enhancing usability and ergonomics.

15 Inch Touch Screen Monitor	
Brand	OEM/ODM
Product color	Black
Backlight source	LED Backlight
Screen size	15 Inch Touch Screen Monitor
Screen proportion	4:3
Backlight	LED
Resolution	1024*768
Brightness	300cd/m2
Contrat	1000:1
Viewing angle	H:178°V:178°
Color temperature	16.7M
Brushing	60Hz
Scanning method	Progressive scan
Response Time	5ms
Other interfaces	HDMI+VGA+USB
15 Inch Touch Monitor Parameters	
Capacitance touch	Capacitive
	armoured glass :G+G
	ILITEK 2511
	Transmittance :≥90%
	USB : 5V
	>60 million times
	20 g current sensing
	USB
15 Inch Touch Monitor Parameters	
	Work temperature : -10 to 80°C
	Working humidity : -10 to 80°C
Environmental conditions	

	Save temperature : -10 to 80°C
	Save humidity : -10 to 80°C
Power supply	12V
	electricity : 4A
	Machine power consumption : 45W

Multiple Interfaces

The available interface types are HDMI, DVI, and VGA, which serve as signal ports, and USB as a touch port.



Application Scenario

This open frame monitor can be used for:



- KTV machines
- Slot machines
 Gaming machines
 - Wagering terminals
- Gas stations
- Photo booths
 Medical equipments
- Coffee kiosks
 Self-service sign-in kiosks
- Mobile kiosks
 Self-service ticket machines
- Vehicle-mounted and transportation
- Ticket printers
 Industrial control machines ect.
- Information kiosks





Sufeida industrial touch screen monitor (computer) is widely used in dustrial settings, public places of entertainment, business organizations, financial institutions and etc.

FAQ

Q:How can I get the price?

A:We usually give you a quotation within 24 hours after receiving the inquiry (except weekends and holidays), if you need a quotation urgently, you can contact us by mail or other means.

Q:What is the minimum order?

A:Our company mainly deals in wholesale business, but if you insist on buying one, or you only need one set, we will also deliver the goods to you.

Q:Can I buy a prototype to test before buying in bulk?

A:Yes, please feel free to contact us.

Q:What payment methods do you accept?

A:Our company supports most payment methods, but usually accepts T/T, PayPal.

Q:What are your shipping methods?

A:We support sea, air, rail transportation and express delivery, and also support customers to use their own logistics


forwarders. Please confirm with us before placing an order.

Q:I would like to ask you if it's possible to have my logo on the product.

A:Yes, we support OEM and special customization, so we can design, produce and process according to customer's requirements. Of course, custom logos on the box and instruction manual are also included.

Q:What is your delivery time?

A:lt depends on your order quantity and order season. Usually small quantities will be shipped within 5 to 15 days, and large quantities will be delivered within about 30 days. All in all, the delivery time will not exceed the time agreed between us and the buyer.



+86 18566758749

cnsfdlhx@monitortp.com

e monitorspcs.com

605, Workshop C, No.1, East Industrial District, Shangxue Science park, Xinxue Community, Bantian Street, Longgang District, Shenzhen, China