

New Custom 300cd/ C-Shape Brightness 32 Inch Curved Touch Screen Curved Screen Touch Integrated Machine Digital Screens

Our Product Introduction


Basic Information

- Place of Origin: China
- Brand Name: Skipsoul
- Certification: CE/ FCC/UL/ ROHS
- Model Number: JR32
- Minimum Order Quantity: 10
- Delivery Time: 5-8
- Payment Terms: L/C, T/T, Western Union, MoneyGram



Product Specification

- Name: 32 Inch Curved Touch Screen Monitor
- Size: 32 Inch Curved Touch Screen
- Resolution: 1920 × 1080
- Brightness: 300cd/
- Contrast: 1200:1
- Display Ratio: 16:9
- Viewing Angle: 178°(H)/178°(V)
- Display Area: 942.2 (H) × 530.4 (V) Mm
- Backlight Life: >=50,000H
- Highlight: 300cd/ Curved Touch Screen,
32 Inch Curved Touch Screen,
Integrated Machine Curved Touch Screen



More Images



for more products please visit us on monitorspcs.com

New Custom 300cd/ J-Shape Brightness 32 Inch Curved Touch Screen Curved Screen Touch Integrated Machine Digital Screens

Introducing our state-of-the-art 32-inch Curved Touchscreen Display, a "marquee display," designed to revolutionize your viewing experience. Featuring cutting-edge technology and exceptional specifications, this curved touchscreen monitor promises to deliver immersive visuals and seamless interaction.

Equipped with a high-quality LED backlight source, this curved touch monitor ensures optimal brightness and energy efficiency. With a backlight lifespan exceeding 50,000 hours, you can count on long-lasting performance without compromising quality.

Experience crystal-clear images and videos with a resolution of 1920×1080 pixels. The 16:9 aspect ratio provides a widescreen viewing experience ideal for both work and entertainment, allowing you to immerse yourself in every detail.

Enjoy vivid and vibrant visuals with a brightness of 300cd/ and a contrast ratio of 1200:1, ensuring rich colors and deep blacks. Whether you're watching movies, editing photos, or working on graphic design projects, this 32-inch curved touch monitor delivers outstanding image quality.

This curved touchscreen monitor offers smooth and responsive touch interactions with a quick 6ms response time. Thanks to the precision and speed of the touch technology, you can effortlessly navigate through applications, websites, and content.



Boasting a color depth of 1.07 billion colors and a wide viewing angle of 178°/178° (horizontal/vertical), this monitor ensures accurate color reproduction and consistent image quality from various perspectives. Whether you're sharing content with colleagues or enjoying multimedia content with friends and family, everyone can enjoy a clear view.

J-Type 32 Inch Curved Touch Screen Monitor

LCD screen parameters	Model	JR32
	Size	32 Inch curved touchscreen
	Resolution	1920 × 1080
	Brightness	300cd/
	Contrast	1200:1
	Display Ratio	16:9
	Backlight	LED
	Response Time	6ms
	Color	1.07B
	Viewing Angle	178°(H)/178°(V)
	Backlight Life	>=50,000H
Capacitive screen parameters	Appearance	Capacitor + aluminum frame + sheet metal shell
	Touch Solution	Projected G+FF capacitive touch technology
	Response Time	<5ms
	Number of touchpoints	Standard 10-point touch (can zoom in and out pictures, etc.)
	Effective touch recognition	>1.5mm
	Scanning frequency	200HZ
	Scanning accuracy	4096 x 4096
	Communication method	Full-speed USB2.0, USB3.0
	Theoretical number of clicks	More than 50 million
	Working current/voltage	180Ma/DC+5V+/-5%
	Anti-light interference	Normal when strong light such as sunlight, incandescent lamps, or fluorescent lamps changes
	Touch data output method	Coordinate output
	Surface hardness	Tempered glass, Mohs 7 explosion-proof glass
	Operating system	compatibility Android system/Windows system
3M card	Driver	Driver-free, plug-and-play
	External interface	HDMI input 1 VGA input 1
		12 years of industry experience
		Countless motherboard tests
		USB/serial port-free switching
		Touch direction button adjustment
		USB/TTL/UUPD/RS232
	Full tracking service, special program customization (remote/on-site) adaptation	

Light card	Computer control signal output
	More than 300 lighting modes are available
	Can be connected to machine light strips and display light strips simultaneously
	Can connect 8 light strips, each with 1200 lamp beads









FAQ

Q: How can I get the price?

A: We usually give you a quotation within 24 hours after receiving the inquiry (except weekends and holidays), if you need a quotation urgently, you can contact us by mail or other means.

Q: What is the minimum order?

A: Our company mainly deals in wholesale business, but if you insist on buying one, or you only need one set, we will also deliver the goods to you.

Q: Can I buy a prototype to test before buying in bulk?

A: Yes, please feel free to contact us.

Q: What payment methods do you accept?

A: Our company supports most payment methods, but usually accepts T/T, PayPal.

Q: What are your shipping methods?

A: We support sea, air, and rail transportation and express delivery, and we also allow customers to use their own logistics forwarders. Please confirm with us before placing an order.

Q: I would like to ask you if it's possible to have my logo on the product.

A: Yes, we support OEM and special customization to design, produce, and process according to customer's requirements. Of course, custom logos on the box and instruction manual are also included.

Q: What is your delivery time?

A: It depends on the quantity of your order and the season. Usually, small amounts are shipped within 5 to 15 days, and large quantities are delivered within about 30 days. The delivery time will not exceed the agreed-upon time between the buyer and us.



Touch Vision (Shenzhen Sufeida) Technology Co., Ltd.



+86 18566758749



cnsfdlhx@monitortp.com



monitorspcs.com

605, Workshop C, No.1, East Industrial District, Shangxue Science park, Xinxue Community, Bantian Street,
Longgang District, Shenzhen, China